



AC Linea Flexi Strip light-2835

All linear lighting applications, are fruitfully fulfilled by these AC LED Strip lights. Power saving capability of up to 65%, along with high reliability makes LINEA the finest solution for Indirect lighting applications. Other applications also include product display showcases, contour lighting and architectural lighting.

Benefits

- Instant start up
- No Flickering
- No Humming
- No emission of IR and UV rays
- Environment friendly, does not contain mercury (RoHS)

Features

- Powered by external electronic power supply
- High class LED providing uniform light output

Applications


- Cove lighting in homes, offices
- Fashion Stores
- Malls

Specifications


Model No.	S-2835120-AC
Type	Linear Light
Light Source	SMD LED
Power	10W/M
Power Factor	0.9
Luminous flux	1000LM/M
CCT	3000K / 2700K / 4000K / 6000K
SDCM	<6
IP Rating	IP65
Material	Copper PCB, PVC Coated
Operating Temperature	-20 to 45 Deg C
Net weight	0.14 kg/m
Length	50 meters

Input Voltage	220-240VAC
Frequency	50-60Hz
Driver	External (Integrated)
THD	<20%
Beam Angle	120 Degree
Life Span	25,000 Hrs
CRI	>83
PCB Color	White / Brown
Dimming	Optional
No. of LEDs	120 LEDs/m
Installation	Surface Mounted with Adhesive Tape
Warranty	3 years
Certifications	CE, RoHS, LM80, LM79

Lumen maintenance



Life time




Product images



3000K

4000K

6000K



IP 65