DC Linea Flexi Strip light RGB

All linear lighting applications, are fruitfully fulfilled by these LED Strip lights. Power saving capability of up to 65%, along with high reliability makes LINEA the finest solution for Indirect lighting applications. Other applications also include product display showcases, contour lighting and architectural lighting.

Benefits

- Instant start up

- No Flickering

- No Humming

- No emission of IR and UV rays

- Environment friendly, does not contain mercury (RoHS)

Features

- Powered by external electronic power supply
- High class LED providing uniform light output

Applications

- Cove lighting in homes, offices
- Fashion Stores
- Malls

Specifications

Model No.	S5050-60-RGB		Input Voltage	12VDC / 24VDC
Type	Linear Light		Driver	External
Light Source	SMD LED		Beam Angle	120 Degree
Power	14.4W/M		Life Span	50,000 Hrs
Luminous flux	740LM/M		CRI	N/A
Operating Temperature	-20 to 45 Deg C		Installation	Surface Mounted with Adhesive Tape
SDCM	<6		Dimming	Yes
IP Rating	IP20, IP65, IP67		Length	5 meters
Material	Copper PCB, PVC Coated		No. of LEDs	60 LEDs/m
PCB Color	White / Brown		CCT	RGB
Net weight	0.03 kg/m		Warranty	3 years
Certifications	CE, RoHS, LM80, LM79			

Lumen Maintenance

Life time

Product images